

SDS Report

No. SHAEC1220885601

Date: Dec. 12, 2012

Page 1 of 1

SGS Ref. No.

SP12034427-SH

Sample Name

AIR FRESHENER

End Uses

CLEAN THE AIR

Composition/Ingredient of

See Section 3 Composition/information on ingredients on the SDS

sample (as per client submission)

report

Job Receiving Date
Last Information Date

Nov.28, 2012 Dec.05, 2012

SDS Preparation Period

Nov.28-Dec.06, 2012

Service Requested

Safety Data Sheet (SDS) for the sample with submitted composition.

Summary

As per request, the contents and formats of the SDS are prepared in accordance with European Commission Directives 67/548/EEC, 1999/45/EC, Regulation (EC) No 1907/2006, Regulation (EC) No 1272/2008 and Regulation (EU) No 453/2010, and is provided per

attached.

Signed for and on behalf of SGS-CSTC Chemical Laboratory

Linely Li

Lindy L**iu** Lab Manager

This document is request by the Company subject to its General Conditions of Service printed overlead, available on request or agrees the at http://www.sgs.com/arros_lend_conditions.
htm and for elections formed documents, subject to Terms and Conditions for Electronic Documents at www.scs.com/arros electronic High Attention in Ideal and Information Contained increased that Attention is drawn to the Emitation of Ideal and Information Contained increased that Company's Endings of the Emit of the Service of Information Contained increased excessed excessed parties to a transaction regressional at this document occurrent to the Annexed the Parties of the Company and Information and the reproduced except in full, without prior written approved the Company.
And unauthorized attention, longery or felsification of the Company of this document is unlawful and plantages may be presented to the fullest extent of the Company.

If the except is the Company of the Company is the except of the Company of the Company.

If the except is the Company of the Company is the except of the Company of the Company.

If the except is the Company of the Company is the except of the Company of the Company.

Revision: 04.12.2012

Safety data sheet Regulation(EC) No. 1907/2006, 1272/2008

Printing date 06.12.2012

1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: AIR FRESHENER
- · Article number: Data not available
- · Registration number: Data not available
- · Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance/ the preparation: CLEAN THE AIR
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

· Reference number: SP12034427-SH; SHAEC1220885601

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 3

H226 Flammable liquid and vapour.



GHS07

Skin Sens. 1

H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xi; Sensitising

R43:

May cause sensitisation by skin contact.

R10-52/53: Flammable. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

- · Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to Regulation (EC) No 1272/2008.

· Hazard pictograms





GHS02

GHS07

· Signal word Warning

(Contd. on page 2)

Printing date 06.12.2012

Trade name: AIR FRESHENER

Revision: 04.12.2012

(Contd. of page 1)

· Hazard-determining components of labelling:

Fragrance--ROSE BOUQUET AF

· Hazard statements

H226 Flammable liquid and vapour.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower.

P321 Specific treatment (see on this label).
P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- Additional information:

Important! This product contains substance that is of restricted use under Annex XVII of Regulation (EC) No. 1907/2006. For details, please refer to Section 15 and 16 of this Safety Date Sheet.

- · Other hazards Not applicable
- Results of PBT and vPvB assessment
- · PBT: Not applicable
- vPvB: Not applicable

3 Composition/information on ingredients

· Description:

Mixture of the substances listed below with nonhazardous additions.

For the wording of the listed risk phrases refer to section 16.

· Dangerous components:		
CAS: 34590-94-8 EINECS: 252-104-2	(2-methoxymethylethoxy)propanol substance with a Community workplace exposure limit	40,0%
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5	ethanol F R11 Flam. Liq. 2, H225	30,0%
	FragranceROSE BOUQUET AF Xi R43; N R51/53 Aquatic Chronic 2, H411; Skin Sens. 1, H317	10,0%

· Non-dangerous component:

CAS: 7732-18-5 water 20,0% EINECS: 231-791-2			
EINECS: 231-791-2	CAS: 7732-18-5	water	

Remark:

(2-methoxymethylethoxy)propanol (CAS No.34590-94-8)

Synonym: DPM

Fragrance--ROSE BOUQUET AF is a mixturer, its classification is not covered by company database and is provided by client.

4 First aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

(Contd. on page 3)

Printing date 06.12.2012

Trade name: AIR FRESHENER

Revision: 04.12.2012

(Contd. of page 2)

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth with water.

Never give anything by mouth to an unconscious person.

If symptoms persist consult doctor.

· Information for doctor:

- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2 sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- Protective equipment:

Wear fully protective suit.

Wear self-contained respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Keep away from ignition sources.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Avoid contact with eyes.

Avoid contact with skin.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Keep receptacles tightly sealed.

Keep away from heat and direct sunlight.

Prevent formation of aerosols.

(Contd. on page 4)

Printing date 06.12.2012

Revision: 04.12.2012

Trade name: AIR FRESHENER

(Contd. of page 3)

Avoid contact with skin and eyes.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Storage.
- · Conditions for safe storage, including any incompatibilities:
- Requirements to be met by storerooms and receptacles:

Store in a cool location.

Store only in the original receptacle.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from flammable substances.

· Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters

34590-94-8 (2-methoxymethylethoxy)propanol		
IOELV (EU)	308 mg/m³, 50 ppm Skin	
AGW (Germany)	310 mg/m³, 50 ppm 1(I);DFG, EU	
WEL (Great Britain)	308 mg/m³, 50 ppm Sk	
VME (France)	308 mg/m³, 50 ppm	
64-17-5 ethanol		
AGW (Germany)	960 mg/m³, 500 ppm 2(II);DFG, Y	
WEL (Great Britain)	1920 mg/m³, 1000 ppm	
VME (France)	Short-term value: 9500 mg/m³, 5000 ppm Long-term value: 1900 mg/in³, 1000 ppm	

- · DNELs: Data not available
- · PNECs: Data not available
- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Based on composition shown in Section 3, the following messures are suggested for occupational safety measure:
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 5)

Printing date 06.12.2012

Revision: 04.12.2012

(Contd. of page 4)

Trade name: AIR FRESHENER

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Information on basic physical and	chemical properties
General Information	
Appearance:	
Form:	Liquid
Colour:	Clear
Odour:	ROSE
Odour threshold:	Data not available.
pH-value:	Data not available.
Change in condition	
Melting point/Melting range:	Data not available.
Boiling point/Boiling range:	Data not available
Freezing point:	Data not available
Flash point:	49 ℃
Flammability (solid, gaseous):	Not applicable
Auto-Ignition temperature:	Data not available
Decomposition temperature:	Date not available.
Self-igniting:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapour
	mixtures are possible.
Explosion limits:	
Lower:	Data not available.
Upper:	Data not available.
Oxidizing properties	Data not available.
Vapour pressure:	Data not available.

(Contd. on page 6)

Printing date 06.12.2012 Revision: 04.12.2012

Trade name: AIR FRESHENER

		(Contd. of page 5
· Density:	Data not available.	
· Relative density	Data not available.	
· Vapour density	Data not available.	
Evaporation rate	Data not available.	
· Solubility in / Miscibility with	1	
water:	Data not available	
· Partition coefficient (n-octar	ol/water): Data not available.	
· Viscosity:		
Dynamic:	Data not available.	
Kinematic:	Data not available.	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No decomposition if used according to specification.
- · Chemical stability Stable under recommended storage conditions.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

64-17-5 et	hanol		
Oral	LD50	3450 mg/kg (mouse)	
		7060 mg/kg (rat)	
		6300 mg/kg (rabbit)	
Inhalative	LC50/4 h	20000 mg/l (rat)	
34590-94-	8 (2-metho	xymethylethoxy)propanol	
Oral	LD50	5135 mg/kg (rat)	
Dermal	LD50	9510 mg/kg (rabbit)	

- · Primary irritant effect:
- on the skin: Irritating effect possible.
- · on the eye: Irritating effect possible.
- · Sensitization:

Sensitization possible through skin contact.

Sensitization possible.

- · Toxicokinetics, metabolism and distribution No further relevant information available.
- · Acute effects (acute toxicity, irritation and corrosivity) No further relevant information available.
- · Repeated dose toxicity No further relevant information available.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

No further relevant information available

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.

(Contd. on page 7)

Printing date 06.12.2012

Trade name: AIR FRESHENER

(Contd. of page 6)

Revision: 04.12.2012

- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number ADR, IMDG, IATA	UN1993
UN proper shipping name	1002 FLAMMADIE LIQUID N.O.C. (FFIIANO) /FFIII
ADR	1993 FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETH) ALCOHOL))
IMDG	FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHY
	ALCOHOL))
IATA	FLAMMABLE LIQUID, N.O.S. (ETHANOL)
Transport hazard class(es)	
ADR, IMDG, IATA	
Class	3 Flammable liquids.
Label	3
Packing group	
ADR, IMDG, IATA	III
Environmental hazards	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids.
Danger code (Kemler):	30 F-E,S-E
EMS Number:	r-E, <u>5-E</u>
Transport in bulk according to Annex II	of
MARPOL73/78 and the IBC Code	Not applicable.

Printing date 06.12.2012 Revision: 04.12.2012

Trade name: AIR FRESHENER

	(Contd. of page
· Transport/Additional information.	,
· ADR	
· Limited quantities (LQ)	5L
· Transport category	3
· Tunnel restriction code	D/E
· UN "Model Regulation":	UN1993, FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHY, ALCOHOL)), 3, III

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · MAK (German Maximum Workplace Concerntration)

64-17-5 ethanol

5

- · National regulations:
- · Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · Other regulations, limitations and prohibitive regulations
- SVHC Candidate List of REACH Regulation Annex XIV Authorisation (18/6/2012)

None of the ingredients is listed.

· REACH Regulation Annex XVII Restriction(19/9/2012)

64-17-5 ethanol

· REACH Regulation Annex XIV Authorization List(14/2/2012)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

46 Other information

· Recommended restriction of use

REACH Regulation Annex XVII-3:

Liquid substances or mixtures, which are regarded as dangerous according to the definitions in Council Directive 67/548/EEC and Directive 1999/45/EC. ethanol (CAS No.64-17-5)

- 1. Shall not be used in:
- ornamental articles, intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
- 2. Articles not complying with paragraph 1 shall not be placed on the market.
- 3. Shall not be placed on the market if they contain a colouring agent unless required for fiscal reasons or perfume or both and if they:
- present an aspiration hazard and are labelled with R65 or H304, and,
- can be used as fuel in decorative lamps, and,
- are packaged in containers of a capacity of 15 litres or less.
- 4. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of substances and mixtures covered by paragraph 3, where intended for use in lamps, is marked visibly, legibly and indelibly as follows:
- "Keep lamps filled with this liquid out of the reach of children".

REACH Regulation Annex XVII-40:

Substances meeting the criteria of flammability in Directive 67/548/EEC and classified as flammable,

(Contd. on page 9)

Printing date 06.12.2012

Revision: 04.12.2012

Trade name: AIR FRESHENER

(Contd. of page 8)

highly flammable or extremely flammable regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not. ethanol (CAS No.64-17-5)

- 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
- metallic glitter intended mainly for decoration,
- artificial snow and frost,
- "whoopee" cushions,
- silly string aerosols,
- imitation excrement,
- horns for parties,
- decorative flakes and foams,
- artificial cobwebs,
- stink bombs.
- 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:
- "For professional users only".
- 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (**).
- 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

(**) OJ L 147, 9.6.1975, p. 40.

Relevant phrases

H225 Highly flammable liquid and vapour.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

R11 Highly flammable.

R43 May cause sensitisation by skin contact.

The contents and format of this MSDS/SDS are in accordance with REGULATION (EC) No 1272/2008, REGULATION (EC) No 1907/2006, Regulation (EU) No 453/2010 and EU Commission Directive 1999/45/EC, 67/548/EEC.

DISCLAIMER OF LIABILITY

The information in this MSDS/SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS/SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS/SDS information may not be applicable.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

End of document