



SDS Report

No. SHAEC1220882301

Date: Dec. 12, 2012

Page 1 of 1

SGS Ref. No. : SP12034427-SH
 Sample Name : AIR FRESHENER
 End Uses : CLEAN THE AIR
 Composition/Ingredient of sample (as per client submission) : See *Section 3 Composition/information on ingredients* on the SDS report
 Job Receiving Date : Nov.28, 2012
 Last Information Date : Dec.05, 2012
 SDS Preparation Period : Nov.28-Dec.06, 2012

Service Requested : Safety Data Sheet (SDS) for the sample with submitted composition.

Summary : As per request, the contents and formats of the SDS are prepared in accordance with European Commission Directives 67/548/EEC, 1999/45/EC, Regulation (EC) No 1907/2006, Regulation (EC) No 1272/2008 and Regulation (EU) No 453/2010, and is provided per attached.

Signed for and on behalf of
SGS-CSTC Chemical Laboratory

Lindy Liu

Lindy Liu
Lab Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, jurisdiction and arbitration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings, at the time of its issuance only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Please refer to the stated test results shown in this test report (refer only to the sample(s) tested).



Safety data sheet
Regulation(EC) No. 1907/2006, 1272/2008

Printing date 06.12.2012

Revision: 04.12.2012

1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name: AIR FRESHENER**
- **Article number: Data not available**
- **Registration number: Data not available**
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance/ the preparation: CLEAN THE AIR**
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

· **Reference number: SP12034427-SH; SHAEC1220882301**

2 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Xi; Sensitising

R43: May cause sensitisation by skin contact.

R10-52/53: Flammable. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

- **Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to Regulation (EC) No 1272/2008.
- **Hazard pictograms**



GHS02



GHS07

- **Signal word Warning**

(Contd. on page 2)

EU

Safety data sheet
Regulation(EC) No. 1907/2006, 1272/2008

Printing date 06.12.2012

Revision: 04.12.2012

Trade name: AIR FRESHENER

(Contd. of page 1)

- **Hazard-determining components of labelling:**
Fragrance--LAVENDER SPICES AF
- **Hazard statements**
H226 Flammable liquid and vapour.
H317 May cause an allergic skin reaction.
H412 Harmful to aquatic life with long lasting effects.
- **Precautionary statements**
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read label before use.
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P241 Use explosion-proof electrical/ventilating/lighting/equipment.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P321 Specific treatment (see on this label).
P403+P235 Store in a well-ventilated place. Keep cool.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Additional information:**
Important! This product contains substance that is of restricted use under Annex XVII of Regulation (EC) No. 1907/2006. For details, please refer to Section 15 and 16 of this Safety Data Sheet.
- **Other hazards** Not applicable
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable
- **vPvB:** Not applicable

3 Composition/information on ingredients

- **Description:**
Mixture of the substances listed below with nonhazardous additions.
For the wording of the listed risk phrases refer to section 16.

- **Dangerous components:**

| | | |
|---|--|-------|
| CAS: 34590-94-8 EINECS: 252-104-2 | (2-methoxymethylethoxy)propanol substance with a Community workplace exposure limit | 40,0% |
| CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 | ethanol F R11 Flam. Liq. 2, H225 | 30,0% |
| | Fragrance--LAVENDER SPICES AF Xi R43; N R51/53 Aquatic Chronic 2, H411; Skin Sens. 1, H317 | 10,0% |

- **Non-dangerous component:**

| | | |
|-------------------------------------|-------|-------|
| CAS: 7732-18-5 EINECS: 231-791-2 | water | 20,0% |
|-------------------------------------|-------|-------|

- **Remark:**
(2-methoxymethylethoxy)propanol (CAS No.34590-94-8)
Synonym: DPM

Fragrance--LAVENDER SPICES AF is a mixturer, its classification is not covered by company database and is provided by client.

4 First aid measures

- **Description of first aid measures**
- **After inhalation:**
Supply fresh air and to be sure call for a doctor.

(Contd. on page 3)

BT

Safety data sheet
Regulation(EC) No. 1907/2006, 1272/2008

Printing date 06.12.2012

Revision: 04.12.2012

Trade name: AIR FRESHENER

(Contd. of page 2)

In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:**
*Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.*
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
*Rinse out mouth with water.
Never give anything by mouth to an unconscious person.
If symptoms persist consult doctor.*
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** *No further relevant information available.*
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** *CO₂, sand, extinguishing powder. Do not use water.*
- **For safety reasons unsuitable extinguishing agents:** *Water with full jet*
- **Special hazards arising from the substance or mixture** *No further relevant information available.*
- **Advice for firefighters**
- **Protective equipment:**
*Wear fully protective suit.
Wear self-contained respiratory protective device.*

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
*Ensure adequate ventilation
Keep away from ignition sources.
Use respiratory protective device against the effects of fumes/dust/aerosol.
Avoid contact with eyes.
Avoid contact with skin.
Wear protective equipment. Keep unprotected persons away.*
- **Environmental precautions:**
*Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.*
- **Methods and material for containment and cleaning up:**
*Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents
Dispose contaminated material as waste according to item 13.*
- **Reference to other sections**
*See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.*

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
*Ensure good ventilation/exhaustion at the workplace.
Keep receptacles tightly sealed.
Keep away from heat and direct sunlight.*

(Contd. on page 4)

EU

Safety data sheet
Regulation(EC) No. 1907/2006, 1272/2008

Printing date 06.12.2012

Revision: 04.12.2012

Trade name: AIR FRESHENER

(Contd. of page 3)

- Prevent formation of aerosols.
 Avoid contact with skin and eyes.
- **Information about fire - and explosion protection:**
 Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
 - **Storage:**
 - **Conditions for safe storage, including any incompatibilities:**
 - **Requirements to be met by storerooms and receptacles:**
 Store in a cool location.
 Store only in the original receptacle.
 - **Information about storage in one common storage facility:**
 Store away from foodstuffs.
 Store away from flammable substances.
 - **Further information about storage conditions:**
 Keep container tightly sealed.
 Store in cool, dry conditions in well sealed receptacles.
 - **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

34590-94-8 (2-methoxymethylethoxy)propanol

| | |
|---------------------|--|
| IOELV (EU) | 308 mg/m ³ , 50 ppm Skin |
| AGW (Germany) | 310 mg/m ³ , 50 ppm 1(I);DFG, EU |
| WEL (Great Britain) | 308 mg/m ³ , 50 ppm Sk |
| VME (France) | 308 mg/m ³ , 50 ppm |

64-17-5 ethanol

| | |
|---------------------|---|
| AGW (Germany) | 960 mg/m ³ , 500 ppm 2(II);DFG, Y |
| WEL (Great Britain) | 1920 mg/m ³ , 1000 ppm |
| VME (France) | Short-term value: 9500 mg/m ³ , 5000 ppm Long-term value: 1900 mg/m ³ , 1000 ppm |

- **DNELs:** Data not available
- **PNECs:** Data not available
- **Additional information:** The lists valid during the making were used as basis.
- **Exposure controls**
- **Based on composition shown in Section 3, the following measures are suggested for occupational safety measure:**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
 Immediately remove all soiled and contaminated clothing
 Wash hands before breaks and at the end of work.
- **Respiratory protection:**
 In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 5)

EU

Safety data sheet
Regulation(EC) No. 1907/2006, 1272/2008

Printing date 06.12.2012

Revision: 04.12.2012

Trade name: AIR FRESHENER

(Contd. of page 4)

· **Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material:**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**

Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**· **General Information**· **Appearance:**

| | |
|---------------------------|---------------------|
| · Form: | Liquid |
| · Colour: | Clear |
| · Odour: | LAVENDER |
| · Odour threshold: | Data not available. |

· **pH-value:** Data not available.

· **Change in condition**

| | |
|---------------------------------------|---------------------|
| · Melting point/Melting range: | Data not available. |
| · Boiling point/Boiling range: | Data not available |
| · Freezing point: | Data not available |

· **Flash point:** 49 °C

· **Flammability (solid, gaseous):** Not applicable

· **Auto-Ignition temperature:** Data not available

· **Decomposition temperature:** Date not available.

· **Self-igniting:** Product is not selfigniting.

· **Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

· **Explosion limits:**

| | |
|-----------------|---------------------|
| · Lower: | Data not available. |
| · Upper: | Data not available. |

· **Oxidizing properties** Data not available.

· **Vapour pressure:** Data not available.

(Contd. on page 6)

EU

Safety data sheet
Regulation(EC) No. 1907/2006, 1272/2008

Printing date 06.12.2012

Revision: 04.12.2012

Trade name: AIR FRESHENER

(Contd. of page 5)

- | | |
|---|--|
| · Density: | Data not available. |
| · Relative density | Data not available. |
| · Vapour density | Data not available. |
| · Evaporation rate | Data not available. |
| · Solubility in / Miscibility with water: | Data not available |
| · Partition coefficient (n-octanol/water): | Data not available. |
| · Viscosity: | |
| Dynamic: | Data not available. |
| Kinematic: | Data not available. |
| · Other information | No further relevant information available. |

10 Stability and reactivity

- **Reactivity** No decomposition if used according to specification.
- **Chemical stability** Stable under recommended storage conditions.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values relevant for classification:**

64-17-5 ethanol

| | | |
|------|------|---------------------|
| Oral | LD50 | 3450 mg/kg (mouse) |
| | | 7060 mg/kg (rat) |
| | | 6300 mg/kg (rabbit) |

| | | |
|------------|----------|------------------|
| Inhalative | LC50/4 h | 20000 mg/l (rat) |
|------------|----------|------------------|

34590-94-8 (2-methoxymethylethoxy)propanol

| | | |
|--------|------|---------------------|
| Oral | LD50 | 5135 mg/kg (rat) |
| Dermal | LD50 | 9510 mg/kg (rabbit) |

- **Primary irritant effect:**
- **on the skin:** Irritating effect possible.
- **on the eye:** Irritating effect possible.
- **Sensitization:**
Sensitization possible through skin contact.
Sensitization possible.
- **Toxicokinetics, metabolism and distribution** No further relevant information available.
- **Acute effects (acute toxicity, irritation and corrosivity)** No further relevant information available.
- **Repeated dose toxicity** No further relevant information available.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
No further relevant information available

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.

(Contd. on page 7)

EU

Safety data sheet
Regulation(EC) No. 1907/2006, 1272/2008

Printing date 06.12.2012

Revision: 04.12.2012

Trade name: AIR FRESHENER


(Contd. of page 6)

- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
Harmful to aquatic organisms
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

| | |
|---|---|
| · UN-Number | |
| · ADR, IMDG, IATA | UN1993 |
| · UN proper shipping name | |
| · ADR | 1993 FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL)) |
| · IMDG | FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL)) |
| · IATA | FLAMMABLE LIQUID, N.O.S. (ETHANOL) |
| · Transport hazard class(es) | |
| · ADR, IMDG, IATA | |
|  | |
| · Class | 3 Flammable liquids. |
| · Label | 3 |
| · Packing group | |
| · ADR, IMDG, IATA | III |
| · Environmental hazards | |
| · Marine pollutant: | No |
| · Special precautions for user | Warning: Flammable liquids. |
| · Danger code (Kemler): | 30 |
| · EMS Number: | F-E,S-E |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |

(Contd. on page 8)

FU

Safety data sheet
Regulation(EC) No. 1907/2006, 1272/2008

Printing date 06.12.2012

Revision: 04.12.2012

Trade name: AIR FRESHENER

(Contd. of page 7)

· Transport/Additional information:**· ADR**

- | | |
|----------------------------------|-----|
| · <i>Limited quantities (LQ)</i> | 5L |
| · <i>Transport category</i> | 3 |
| · <i>Tunnel restriction code</i> | D/E |

- | | |
|---------------------------------|--|
| · UN "Model Regulation": | UN1993, FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL)), 3, III |
|---------------------------------|--|

15 Regulatory information**· Safety, health and environmental regulations/legislation specific for the substance or mixture****· MAK (German Maximum Workplace Concentration)**

| | |
|-------------------|---|
| 64-17-5 ethanol | 5 |
|-------------------|---|

· National regulations:

- **Waterhazard class:** Water hazard class 2 (Self-assessment): hazardous for water.
- **Other regulations, limitations and prohibitive regulations**

· SVHC Candidate List of REACH Regulation Annex XIV Authorisation (18/6/2012)

None of the ingredients is listed.

· REACH Regulation Annex XVII Restriction(19/9/2012)

| |
|-------------------|
| 64-17-5 ethanol |
|-------------------|

· REACH Regulation Annex XIV Authorization List(14/2/2012)

None of the ingredients is listed.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information**· Recommended restriction of use**

REACH Regulation Annex XVII-3:

Liquid substances or mixtures, which are regarded as dangerous according to the definitions in Council Directive 67/548/EEC and Directive 1999/45/EC.
ethanol (CAS No.64-17-5)

1. Shall not be used in:

- ornamental articles, intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

2. Articles not complying with paragraph 1 shall not be placed on the market.

3. Shall not be placed on the market if they contain a colouring agent unless required for fiscal reasons or perfume or both and if they:

- present an aspiration hazard and are labelled with R65 or H304, and,
- can be used as fuel in decorative lamps, and,
- are packaged in containers of a capacity of 15 litres or less.

4. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of substances and mixtures covered by paragraph 3, where intended for use in lamps, is marked visibly, legibly and indelibly as follows:

“Keep lamps filled with this liquid out of the reach of children”.

REACH Regulation Annex XVII-40:

Substances meeting the criteria of flammability in Directive 67/548/EEC and classified as flammable,

(Contd. on page 9)

Safety data sheet
Regulation(EC) No. 1907/2006, 1272/2008

Printing date 06.12.2012

Revision: 04.12.2012

Trade name: AIR FRESHENER

(Contd. of page 8)

highly flammable or extremely flammable regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not. ethanol (CAS No.64-17-5)

- 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
- metallic glitter intended mainly for decoration,
- artificial snow and frost,
- "whoopee" cushions,
- silly string aerosols,
- imitation excrement,
- horns for parties,
- decorative flakes and foams,
- artificial cobwebs,
- stink bombs.
2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:
"For professional users only".
3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (**).
4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

(**) OJ L 147, 9.6.1975, p. 40.

Relevant phrases

- H225 Highly flammable liquid and vapour.
H317 May cause an allergic skin reaction.
H411 Toxic to aquatic life with long lasting effects.

- R11 Highly flammable.
R43 May cause sensitisation by skin contact.
R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

The contents and format of this MSDS/SDS are in accordance with REGULATION (EC) No 1272/2008, REGULATION (EC) No 1907/2006, Regulation (EU) No 453/2010 and EU Commission Directive 1999/45/EC, 67/548/EEC.

DISCLAIMER OF LIABILITY

The information in this MSDS/SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS/SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS/SDS information may not be applicable.

Abbreviations and acronyms:

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent

End of document